FIG. 1




FIG. 2

```
while (cond) {
    c = a+b; (201)
    *p = c; (203)
    p = p->next; (204)
}
```

FIG. 3

```
while (cond) {
  ld r1=[&a] (302)
  ld r2=[&b] (303)
  add r3=r1,r2 (304)
  st *p=r3 (305)
  p = p->next (306)
}
```

FIG. 4

		400
ı		
	ld.a r1=[&a] ld.a r2=[&b] add r3=r1,r2	(401) (402) (403)
	while (cond) { chk.a r1,recover1 L1: chk.a r2,recover2 L2: st *p=r3 p = p->next }	(404) (405) (406) (407) (408) (409)
	recover1: ld.a r1=[&a] add r3=r1,r2 br L1	(410) (411) (412) (413)
	recover2: ld.a r2=[&b] add r3=r1,r2 br L2	(414) (415) (416) (417)

FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11

1100

copy r4=0 (1101)ld.a r1=[&a](1102)ld.a r2=[&b] (1103)r3=r1,r2 (1104)while (cond) { (1105)chk.a r1,recover1 (1106)L1: chk.a r2, recover2 (1107)L2: st *p=r3(1108)p = p->next(1109)(1110)goto exit (1111)while (cond) { (1112)L3: ld r1=[&a] (1113)ld r2=[&b](1114)add r3=r1,r2 (1115)st *p=r3 (1116)(1117)p = p->next} (1118)exit: (1119)recover1: (1120)add r4=r4,1(1121)bc r4>T,L3(1122)ld.a r1=[&a] (1123)add r3=r1, r2(1124)br L1 (1125)recover2: (1126)add r4=r4,1(1127)bc r4>T,L3(1128)ld.a r2=[&b](1129)r3=r1,r2add (1130)br L2 (1131)

FIG. 12

1200 ld.a r1=[&a] (1201) (1202) r2=[&b] ld.a add r3=r1,r2(1203)while (cond) {
 chk.a r1,L3 (1204)(1205)(1206) chk.a r2,L3 *p=r3 (1207)(1208)p = p->next(1209) goto exit (1210)while (cond) { (1211)r1=[&a] (1212) L3: 1d ld r2=[&b](1213)(1214) add r3=r1,r2 *p=r3 (1215)(1216)p = p->next} (1217)exit: (1218)

1	300
	,

<pre>copy r4=0 copy r5=0 ld.a r1=[&a] ld.a r2=[&b] add r3=r1,r2 while (cond) { add r5=r5,1 chk.a r1,recover1 l1: chk.a r2,recover2 l2: st *p=r3 p = p->next } goto exit</pre>	(1301) (1302) (1303) (1304) (1305) (1306) (1307) (1308) (1309) (1310) (1311) (1312) (1314)
<pre>while (cond) { L3: ld r1=[&a] ld r2=[&b] add r3=r1,r2 st *p=r3 p = p->next } exit:</pre>	(1315) (1316) (1317) (1318) (1319) (1320) (1321) (1322)
recover1: add r4=r4,1 div r6=r4,r5 bc r6>T,L3 ld.a r1=[&a] add r3=r1,r2 br L1	(1323) (1324) (1325) (1326) (1327) (1328) (1329)
recover2: add r4=r4,1 div r6=r4,r5 bc r6>T,L3 ld.a r2=[&b] add r3=r1,r2 br L2	(1330) (1331) (1332) (1333) (1334) (1335) (1336)

the state and the second of th